

00240533 020196

4. The method of claim 1 wherein said step of translating the information to be displayed includes the step of automatically determining how to position the information onto the screen so that all the information is displayed.

1 5. The method of claim 4 wherein said information includes one or more
2 token from the group of prompts, icons, buttons, wording, phrasing, phrase packs,
3 scroll bars, tool bars and scroll lists.

1 6. The method of claim 1 wherein said step of translating the information
2 to be displayed on the device further includes the step of translating the
3 information into a tokenized language which is compatible with both the device
4 and the application program.

1 7. The method of claim 6 wherein the step of translating the information
2 into a tokenized language further includes the steps of:
3 applying a token hierarchy to the information; and
4 creating a token representation of said information, which is compatible
5 with the device.

1 8. The method of claim 7 wherein said creating step further includes the
2 step of consulting a table of token attributes.

1 9. The method of claim 1 wherein said application program involves a
2 financial service.

1 10. The method of claim 9 wherein said financial service is bill payment.

1 11. The method of claim 9 wherein said financial service is transferring
2 funds between accounts.

1 12. The method of claim 9 wherein said financial service is buying
2 securities.

Sub
a

1 13. A method for enabling a plurality of different access devices each
2 having a display to access a plurality of different application programs comprising
3 the steps of:
4 identifying the type of access device and associated display and application
5 program to be accessed;
6 accessing the program and determining the type of information to be shown
7 on the display as part of the program;
8 applying a token hierarchy to the information;
9 creating a token representation of said information which is compatible
10 with said display, including the step of consulting a table of token attributes; and
11 sending the token representation to the device.

Sub
a

Add
C2

00000000-00000000